

## Possible Effects of COVID-19 Stay-At-Home Order on St. Louis Area Air Quality

October 16, 2020

The Missouri Department of Natural Resources is continuing to evaluate the possible effects on air quality of the COVID-19 stay-at-home order, issued for St. Louis City and County beginning on March 23, 2020 and extending through May 4, 2020. We are also evaluating the possible effects on air quality of changes in activity following the end of the stay-at-home order.

Since the COVID-19 event is having an impact on emission from many sources across the country and the world, the following analysis is based on limited observational data and the department is not drawing conclusions as a result of this analysis.

One effect of the order was a reduction in motor vehicle traffic, because fewer people were commuting to work and fewer people were driving on the weekend. Motor vehicle exhaust is a significant source of nitric oxide (NO), which is oxidized in the atmosphere to nitrogen dioxide (NO<sub>2</sub>). Therefore, a reduction in traffic would be expected to lead to a reduction in the NO<sub>2</sub> concentration in the air, especially near major highways.

The near-roadway NO<sub>2</sub> monitoring network was established to measure the population exposure to peak 1-hour NO<sub>2</sub> concentrations. Peak 1-hour concentrations of NO<sub>2</sub> result from many sources that emit nitric oxide in addition to motor vehicles, including but not limited to, industrial boilers, furnaces, factories, power plants, fires, and certain home heating appliances. Therefore, these near-roadway sites were established within 50 meters (or 164 feet) of road segments with the highest traffic volumes in areas with populations of one million people or more to measure worst-case peak 1-hour NO<sub>2</sub> concentrations from all these sources in areas with the high population density.

It is important to recognize that ambient air NO<sub>2</sub> monitors alone are not able to directly identify the source of the NO<sub>2</sub> pollution they measure. Source apportionment of the monitored ambient NO<sub>2</sub> is a complex analysis involving many factors and is beyond the scope of this observational analysis.

NO<sub>2</sub>, among other pollutants, is a precursor to ground level ozone. Unlike NO<sub>2</sub>, ozone is not directly emitted by sources, but a pollutant formed in the atmosphere by very complex chemical reactions involving oxides of nitrogen and volatile organic compounds in the presence of sunlight and other conducive weather conditions. Maximum ozone concentrations are typically monitored 10 to 30 miles down wind of precursor emission sources. The department intends to conduct more observational analysis of ozone concentrations during the period of the stay-athome order, but weather conditions during March and April are generally not conducive to producing significant peak ozone concentrations from precursor pollutants.

The Department operates two near-road air monitoring sites in the St. Louis area, one in Forest Park adjacent to I-64 and one (called Rider Trail I-70, Figure 1) adjacent to I-70 north of St. Louis, just west of the I-270 interchange. Locations of these sites are shown on the map in Figure 2. Neither of these sites are in violation of the NO2 national ambient air quality standard (NAAQS); see <a href="mailto:dnr.mo.gov/env/apcp/docs/nitrogendioxidemonitordata.pdf">dnr.mo.gov/env/apcp/docs/nitrogendioxidemonitordata.pdf</a>. However, analysis of data from these sites still shows the effect of vehicle traffic. We have evaluated NO2 data from these sites in the past: we calculated and graphed average NO2 concentrations by time of day, and separately for weekdays, weekends and major holidays. The weekday averages clearly show higher concentrations during early morning and early evening that probably are caused by increased commuter traffic at those times. The weekend averages do not show the same peaks.

To evaluate the effect of the stay-at-home order on air quality, we generated the graphs described above for the period of March 23 to May 4 for 2019 and 2020, for the remainder of May, and for June and July. Graphs of data from the Forest Park near-road site are shown on the following pages. The weekday graphs (Figure 3, 4, 5, and 6) still show morning and evening peaks, possibly caused in part from truck traffic, but the NO<sub>2</sub> concentrations measured in 2020 during the stay-at-home order and during the remainder of May are significantly lower than those in 2019 for all hours of the day during the same periods. However, the June and July graphs of 2020 data were very similar to those for the same periods in 2019.

The weekend graphs (Figure 7, 8, 9, and 10) show a similar reduction during the stay-at-home order, and the 2020 graph is somewhat flatter than the 2019 graph. The reduction appeared to continue into the remainder of May and June but to be smaller in July.

These results suggest that vehicle traffic may have been reduced during the stay-at-home order and during the remainder of May, but that traffic may have gradually returned to normal levels during June and July, especially on weekdays.

For more information about nitrogen dioxide, see the following EPA website, which includes links to additional information on health effects, standards, implementation, at epa.gov/no2-pollution.



Figure 1. Rider Trail I-70 air monitoring site, St. Louis area





